

kathy ireland®  
HOME

by

LUMINANCEBRANDS™



INTEGRATED DIMMABLE  
LED Light Fixture



A. Shown in Graphite with Sculpted Solid Wood Charcoal Blades and Opal Matte Shade

## 60" Lindbergh Eco CF315

### MODEL FEATURES

- 60" Blade Span
- 3 Sculpted Solid Wood Blades
- Premium DC EcoMotor
- Integrated LED Light Fixture with Shatter-Resistant Opal Matte Shade
- 6-Speed Wall Control with Canopy Mount Receiver
- 6" Downrod



PREMIUM DC  
ECOMOTOR



LED LIGHTING



LIMITED  
LIFETIME  
MOTOR  
WARRANTY

### PERFORMANCE SPECIFICATIONS

Speed	Airflow	Electricity Use	Airflow Efficiency	RPM
	Cubic Ft. Per Min.	Watts (Excl. Lights)	Cubic Ft. Per Min. Per Watt	Revolutions per Minute
High	7050	30	236	190
Low	1637	2	835	50

Blade Pitch	Accepts 2.5" DR	Amps	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
14°	N	0.5	1500	18	90	3000

Control Included	Receiver Included	Manual/Remote Reverse Switch	Dimming Light	Downrod Length	Motor Lead Lengths
6-Speed Wall Control	Y	Remote	Y	6"	80"

### ENERGYGUIDE INFORMATION

## ENERGYGUIDE

Estimated  
Yearly Energy Cost

# \$5

Cost Range of Similar Models (19" – 84")

\$3 | | | \$34

• Based on 12 cents per kWh and 6.4 hours use per day  
• Your cost depends on rates and use  
• Energy Use: 19 Watts

Airflow

# 4,512

Cubic Feet Per Minute

• The higher the airflow, the more air the fan will move  
• Airflow Efficiency: 243 Cubic Feet Per Minute Per Watt

All estimates based on typical use, excluding lights ftc.gov/energy

Energy information listed above is a weighted average of High and Low speeds tested with the downrod supplied.

# 60" LINDBERGH ECO



B. Shown in Brushed Steel with Sculpted Solid Wood Coffee Blades and Opal Matte Shade



C. Shown in Brushed Steel with Sculpted Solid Wood Timber Gray Blades and Opal Matte Shade




D. Shown in Oil Rubbed Bronze with Sculpted Solid Wood Natural Blades and Opal Matte Shade

- A. **60" LINDBERGH ECO – GRAPHITE**  
**CF315CR60GRT** - Sculpted Solid Wood Charcoal Blades, Opal Matte Shade
- B. **60" LINDBERGH ECO – BRUSHED STEEL**  
**CF315CO60BS** - Sculpted Solid Wood Coffee Blades, Opal Matte Shade
- C. **60" LINDBERGH ECO – BRUSHED STEEL**  
**CF315TM60BS** - Sculpted Solid Wood Timber Gray Blades, Opal Matte Shade
- D. **60" LINDBERGH ECO – OIL RUBBED BRONZE**  
**CF315NA60ORB** - Sculpted Solid Wood Natural Blades, Opal Matte Shade

CONTINUE ►

**SHIPPING SPECIFICATIONS:** Carton Weight: **22.60 LBS** | Length: **36.25"** | Width: **19.00"** | Depth: **10.00"**

### Product Dimensions & Weight



- A. Total Fan Height: **13.8"**
- B. Bottom of Blade to Ceiling: **11.2"**
- C. Width of Housing: **9.6"**
- D. Width of Canopy: **7.5"**
- Motor Size (mm): **165 DC**
- Product Weight: **16.3 LBS**

### Included



6-Speed  
Wall Control with  
Canopy Mount Receiver

### Optional Control



**SR600**  
6-Speed  
Remote Control

kathy ireland®  
HOME

by

LUMINANCEBRANDS™



INTEGRATED DIMMABLE  
LED Light Fixture



E. Shown in Brushed Steel with Sculpted Solid Wood Natural Blades and Opal Matte Shade

## 60" Lindbergh Eco CF315

### MODEL FEATURES

- 60" Blade Span
- 3 Sculpted Solid Wood Blades
- Premium DC EcoMotor
- Integrated LED Light Fixture with Shatter-Resistant Opal Matte Shade
- 6-Speed Wall Control with Canopy Mount Receiver
- 6" Downrod



PREMIUM DC  
ECOMOTOR



LED LIGHTING



LIMITED  
LIFETIME  
MOTOR  
WARRANTY

### PERFORMANCE SPECIFICATIONS

Speed	Airflow	Electricity Use	Airflow Efficiency	RPM
	Cubic Ft. Per Min.	Watts (Excl. Lights)	Cubic Ft. Per Min. Per Watt	Revolutions per Minute
High	7050	30	236	190
Low	1637	2	835	50

Blade Pitch	Accepts 2.5" DR	Amps	LED Specifications			
			Lumens	Watts	CRI	CCT (K)
14°	N	0.5	1500	18	90	3000

Control Included	Receiver Included	Manual/Remote Reverse Switch	Dimming Light	Downrod Length	Motor Lead Lengths
6-Speed Wall Control	Y	Remote	Y	6"	80"

### ENERGYGUIDE INFORMATION

# ENERGYGUIDE

Estimated  
Yearly Energy Cost

## \$5

Cost Range of Similar Models (19" – 84")

\$3 | | | \$34

• Based on 12 cents per kWh and 6.4 hours use per day  
• Your cost depends on rates and use  
• Energy Use: 19 Watts

Airflow

## 4,512

Cubic Feet Per Minute

• The higher the airflow, the more air the fan will move  
• Airflow Efficiency: 243 Cubic Feet Per Minute Per Watt

All estimates based on typical use, excluding lights ftc.gov/energy

Energy information listed above is a weighted average of High and Low speeds tested with the downrod supplied.

# 60" LINDBERGH ECO



F. Shown in Brushed Steel with Sculpted Solid Wood Charcoal Blades and Opal Matte Shade



G. Shown in Oil Rubbed Bronze with Sculpted Solid Wood Coffee Blades and Opal Matte Shade

E. **60" LINDBERGH ECO – BRUSHED STEEL**  
**CF315NA60BS** - Sculpted Solid Wood Natural Blades, Opal Matte Shade

F. **60" LINDBERGH ECO – BRUSHED STEEL**  
**CF315CR60BS** - Sculpted Solid Wood Charcoal Blades, Opal Matte Shade

G. **60" LINDBERGH ECO – OIL RUBBED BRONZE**  
**CF315CO60ORB** - Sculpted Solid Wood Coffee Blades, Opal Matte Shade


H. **60" LINDBERGH ECO – GRAPHITE**  
**CF315TM60GRT** - Sculpted Solid Wood Timber Gray Blades, Opal Matte Shade



H. Shown in Graphite with Sculpted Solid Wood Timber Gray Blades and Opal Matte Shade

**SHIPPING SPECIFICATIONS:** Carton Weight: **22.60 LBS** | Length: **36.25"** | Width: **19.00"** | Depth: **10.00"**

### Product Dimensions & Weight



- A. Total Fan Height: **13.8"**
- B. Bottom of Blade to Ceiling: **11.2"**
- C. Width of Housing: **9.6"**
- D. Width of Canopy: **7.5"**
- Motor Size (mm): **165 DC**
- Product Weight: **16.3 LBS**

### Included



6-Speed  
 Wall Control with  
 Canopy Mount Receiver

### Optional Control



**SR600**  
 6-Speed  
 Remote Control